		5
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.0	
BASE DESIGN ROOM	C027, P039)
NUMBER:		
COMPONENT GROUP		
AREA NAME	RECEPTION	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Reception desk control point with good visual surveillance of main entry
		vestibule/corridor and waiting areas.
PRIMARY USER		School administrative assistant
DESIGNED OCCUPANCY NU	MBER	2 + 4 waiting
ORIENTATION / VIEWS		To front entrance.
DAYLIGHTING SPECIAL CONSIDERATIONS		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with Sidelight
WINDOW, EXTERIOR		
WINDOW, INTERIOR		If possible
MILLWORK		'
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 ea @ 1220 mm x 1220 mm tack and white board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		V
INTERIOR WINDOW COVER	IINGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE	•	QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC w/ manual off override switches
POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.0	
BASE DESIGN ROOM NUMBER:	C027, P039	
COMPONENT GROUP		
AREA NAME	RECEPTION	
OCCUPANT		
COMMUNICATIONS		3 data + 2 VOIP
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projecto	ors)	Auxiliary input to audio system
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer, photocopier

		Tunctional Frogram Room Butta Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.1	
BASE DESIGN ROOM NUMBER:	C029, P042	2
COMPONENT GROUP		
AREA NAME	OFFICE	
OCCUPANT	Principal	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Principal's Office for private work and small meetings with students, parents and staff.
PRIMARY USER		Principal plus 3 visitors
DESIGNED OCCUPANCY NU	MRFR	4
ORIENTATION / VIEWS		View to admin area and main entry.
DAYLIGHTING		Direct.
SPECIAL CONSIDERATIONS		
5. 25 (2 CONSIDER VITONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF w/ Sidelite
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1220 mm x 1220 mm tack board
OTHER		T & TEE THIN X TEE O THIN COCK BOOK O
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER		Yes
FF&E REFER TO FURNITUR	E AND EOU	DMENT LIST
TYPE	L AND EQUI	QT DESCRIPTION
11112		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC w/ manual off override switch
POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.1	
BASE DESIGN ROOM NUMBER:	C029, P042	
COMPONENT GROUP		
AREA NAME	OFFICE	
OCCUPANT	Principal	
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projecto	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer

FUNCTIONAL PROGRAM ROOM NUMBER: COMPONENT GROUP AREA NAME OCELETIC TO COURT VP FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER PRIMARY USER PRIMARY USER ORIENTATION / VIEW VIEW Principal plus 2 visitors DESIGNED OCCUPANCY NUMBER 3 ORIENTATION / VIEW VIEW VIEW To admin area DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WOOD door HORD TO COMPANY WE WAS A SALE OF TIME EXTERIOR WINDOW, EXTERIOR WOOD door HORD WOOD d			Tunetional Tropian Room Data Sheet
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OFFICE OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION Vice Principal's Office for private work and small meetings with students, parents and staff. PRIMARY USER Vice Principal plus 2 visitors DESIGNED OCCUPANT VIMBER 3 DESIGNED OCCUPANT VIMBER 3 DAYLIGHTING Borrowed. SPECIAL CONSIDERATIONS View to admin area DAYLIGHTING Borrowed. ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR MILLWORK FILONITION TO BE ON THE WALLS Paint SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR RECHANICAL TO BE ON THE WINDOW COVERINGS FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	ROOM DATA SHEET		
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OFFICE OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER Vice Principal's Office for private work and small meetings with students, parents and staff. PRIMARY USER Vice Principal plus 2 visitors 3 ORIENTATION / VIEWS View to admin area DAYLIGHTING Borrowed. ARCHITECTURAL ODOR TYPE WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR FLOORS OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS VES INTERIOR WINDOW COVERINGS VES FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL ELIGHTING Non-dimmable lighting LIGHTING CONTROL OC W/ manual off override switch	FUNCTIONAL PROGRAM	Λ2 2	
NUMBER: COMPONENT GROUP AREA NAME OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTIO	ROOM NUMBER:	A3.2	
COMPONENT GROUP AREA NAME OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION Vice Principal's Office for private work and small meetings with students, parents and staff. PRIMARY USER Vice Principal plus 2 visitors DESIGNED OCCUPANCY NUMBER 3 ORIENTATION / VIEWS View to admin area DAYLIGHTING Borrowed. SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR Window, INTERIOR Window, INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CELLING CELLING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR FEATURES Yes INTERIOR FEATURES Yes INTERIOR FEATURES Yes INTERIOR FEATURES Paint CELLING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR FEATURES The paint INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	BASE DESIGN ROOM	C028, P044	4
AREA NAME OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / Vice Principal plus 2 visitors 3 ORIENTATION / VIEWS DAYLIGHTING ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW, BYTERIOR WALLS PAINT CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES	NUMBER:	-	
AREA NAME OCCUPANT VP FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / Vice Principal plus 2 visitors 3 ORIENTATION / VIEWS DAYLIGHTING ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW, BYTERIOR WALLS PAINT CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES	COMPONENT GROUP		
FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER Vice Principal's Office for private work and small meetings with students, parents and staff. Vice Principal plus 2 visitors JOHINTATION / VIEWS View to admin area DOYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALIES JOHING CONTROL ACT DOOR HARDWARE LOCKABIE EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION TRECHANICAL OTHER SPECIAL REQUIREMENTS MECHANICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch		OFFICE	
SPACE FUNCTION Vice Principal's Office for private work and small meetings with students, parents and staff. PRIMARY USER DESIGNED OCCUPANCY NUMBER 3 ORIENTATION / VIEWS View to admin area DAYLIGHTING BORTOWED ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIAL TIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL UIGHTING OC w/ manual off override switch	OCCUPANT	VP	
parents and staff. PRIMARY USER	FUNCTIONAL CRITERIA		
PRIMARY USER DESIGNED OCCUPANCY NUMBER OSIGNET OCCUPANCY	SPACE FUNCTION		Vice Principal's Office for private work and small meetings with students,
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS View to admin area Borrowed. SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER FE& REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			· ·
ORIENTATION / VIEWS View to admin area DAYLIGHTING Borrowed. SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MILLES SPECIALTES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes FE&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	PRIMARY USER		Vice Principal plus 2 visitors
DAYLIGHTING Borrowed. SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1@ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	DESIGNED OCCUPANCY NU	IMBER	3
ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MILLWORK MITTERIOR FEATURES SPECIALTIES OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	ORIENTATION / VIEWS		View to admin area
ARCHITECTURAL DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			Borrowed.
DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	SPECIAL CONSIDERATIONS		
DOOR TYPE Wood door/PSF w/ Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			
WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS CT WALLS Paint CEILING DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Ves INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING ONTROL OC W/ manual off override switch	ARCHITECTURAL		
WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	DOOR TYPE		Wood door/PSF w/ Sidelite
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	WINDOW, EXTERIOR		
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OCHANICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCHANICAL OCH MARCH AND	WINDOW, INTERIOR		
INTERIOR FEATURES SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	MILLWORK		
SPECIALTIES 1 @ 1220 mm x 1220 mm tack board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	PRIVACY/SECURITY		
OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC W/ manual off override switch			
FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS WECHANICAL OTHER INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS WECHANICAL OTHER INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS WE ACT INTERIOR WINDOW COVERINGS	SPECIALTIES		1 @ 1220 mm x 1220 mm tack board
WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	OTHER		
CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	FLOORS		СТ
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	WALLS		Paint
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	CEILING		ACT
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	DOOR HARDWARE		Lockable
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	EXTERIOR WINDOW COVER	RINGS	Yes
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	INTERIOR WINDOW COVER	INGS	Yes
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			
STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	TYPE		QT DESCRIPTION
SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			
MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	STRUCTURAL		
OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	SPECIAL REQUIREMENTS		
OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			
ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	MECHANICAL		
LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch	OTHER		
LIGHTING Non-dimmable lighting LIGHTING CONTROL OC w/ manual off override switch			
LIGHTING CONTROL OC w/ manual off override switch	ELECTRICAL		
LIGHTING CONTROL OC w/ manual off override switch	LIGHTING		Non-dimmable lighting
work station receptacies, general purpose receptacies	POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.2	
BASE DESIGN ROOM NUMBER:	C028, P044	
COMPONENT GROUP		
AREA NAME	OFFICE	
OCCUPANT	VP	
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILL	ANCE	N/A
SECURITY - INTRUSION		N/A
OTHER		Printer

		Tunetional Flogram Room Butta Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.4	
BASE DESIGN ROOM NUMBER:	C026, P03	7
COMPONENT GROUP		
AREA NAME	MEETING F	ROOM
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		General meeting room and hoteling space.
PRIMARY USER		Administration, Teachers, Parents
DESIGNED OCCUPANCY NU	MBER	8
ORIENTATION / VIEWS		
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with Sidelite
WINDOW, EXTERIOR		
WINDOW, INTERIOR		If possible
MILLWORK		·
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1220 mm x 1220 mm white board
OTHER		- C
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC w/ dimmer override switch
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		1 VOIP phone + 2 data at 2 locations, projector
		• •

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.4	
BASE DESIGN ROOM NUMBER:	C026, P037	
COMPONENT GROUP		
AREA NAME	MEETING RO	ООМ
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projector	ors)	Blank outlet c/w conduit at desk + at projector up to ceiling.
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		video conferencing equipment as required

		Tunetional Flogram Room Butta Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.6	
BASE DESIGN ROOM NUMBER:	C030, P04	5
COMPONENT GROUP		
AREA NAME	WORK STA	ATION
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Flexible work station and touchdown space.
PRIMARY USER		Administrative assistants
DESIGNED OCCUPANCY NU	MBER	3
ORIENTATION / VIEWS		View to reception/waiting area
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		None
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		CT
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		ACI
EXTERIOR WINDOW COVER	SINGS	
INTERIOR WINDOW COVER		
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	F AND FOLII	PMENT LIST
TYPE	L / III LQO	QT DESCRIPTION
		Q. 5250 11010
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Sink, Dishwasher
		, , , , , , , , , , , , , , , , , , , ,
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC with manual override switches
POWER		General purpose receptacle, photocopier receptacle, above counter
		receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.6	
BASE DESIGN ROOM NUMBER:	C030, P045	
COMPONENT GROUP		
AREA NAME	WORK STAT	TION
OCCUPANT		
COMMUNICATIONS		1 VOIP + 1 data for photocopier + 2 data above counter in at 2 locations
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		printers + equipment connections

		Functional Program Room Data Sileet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.1	
BASE DESIGN ROOM NUMBER:	C025, P03	8
COMPONENT GROUP		
AREA NAME	STAFF ROC	DM
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Staff lunch room and gathering space. Informal meeting space.
PRIMARY USER		Staff, Administration
DESIGNED OCCUPANCY NU	MBER	20
ORIENTATION / VIEWS		View to main circulation space
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with Sidelight
WINDOW, EXTERIOR		
WINDOW, INTERIOR		If possible
MILLWORK		Min 3 Im of countertop with uppers and lowers, one sink.
PRIVACY/SECURITY		will 3 iii of countertop with appers and lowers, one sink.
INTERIOR FEATURES		
		1 @ 1220 · · 1220 to all and only to be and
SPECIALTIES		1 ea @ 1220 mm x 1220 mm tack and white board
OTHER		DOE.
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		We .
INTERIOR WINDOW COVER	IINGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
S. ZON LE REQUIREIVIEIVIS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting. Additional specialty lighting at kitchenette.
LIGHTING CONTROL		Ceiling mounted OCC OC/ daylight sensor with manual dimmable control.
		Counter lights are manual.
POWER		Multiple GFI counter receptacles, General Purpose receptacle in room

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.1	
BASE DESIGN ROOM NUMBER:	C025, P038	3
COMPONENT GROUP		
AREA NAME	STAFF ROO	M
OCCUPANT		
COMMUNICATIONS		1 VOIP phone + 2 data
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projector	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Motion sensors, door contacts at exterior doors
OTHER		

	Tunctional Flogram Room Bata Sheet			
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.2			
BASE DESIGN ROOM NUMBER:	C021, C206, C228, P032, P036, P219, P234			
COMPONENT GROUP				
AREA NAME	TEACHER (COLLABORATION		
OCCUPANT				
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Collaboration workroom provides a home base for teachers to collaborate and share lesson plans and research materials.		
PRIMARY USER		Teachers, Assistants, Specialists		
DESIGNED OCCUPANCY NU	IMBER	6-10		
ORIENTATION / VIEWS		Views into Learning Commons		
DAYLIGHTING		Borrowed Desireable		
SPECIAL CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door/PSF with Sidelight		
WINDOW, EXTERIOR				
WINDOW, INTERIOR		Yes		
MILLWORK				
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES		1 ea @ 1220 mm x 1220 mm tack and white board		
OTHER				
FLOORS		СТ		
WALLS		Paint		
CEILING		ACT		
DOOR HARDWARE		Lockable		
EXTERIOR WINDOW COVER				
INTERIOR WINDOW COVER	RINGS	Yes		
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST		
ТҮРЕ		QT DESCRIPTION		
CTRUCTURAL				
STRUCTURAL CDECIAL DECLUDEMENTS				
SPECIAL REQUIREMENTS				
MECHANICAL				
OTHER				
ELECTRICAL				
LIGHTING		Non-dimmable lighting		
LIGHTING CONTROL		OC manual override switch		
POWER		Duplex receptacle per workstation + general purpose receptacles		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.2	
BASE DESIGN ROOM NUMBER:	C021, C206, C228, P032, P036, P219, P234	
COMPONENT GROUP		
AREA NAME	TEACHER COLLABORATION	
OCCUPANT		
COMMUNICATIONS		1 VOIP phone + 2 data per workstation
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	Blank outlet c/w conduit, O/H Data
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer, Projector

Functional Program Room Data Sneet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.3		
BASE DESIGN ROOM NUMBER:	C024, P04	1	
COMPONENT GROUP			
AREA NAME	STAFF WO	RKROOM	
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Central staff work area for general prep and office supply storage, supplemented by Teacher Collaboration rooms in each Learning Community.	
PRIMARY USER		Teachers, Assistants, Specialists	
DESIGNED OCCUPANCY NU	MRFR	8	
ORIENTATION / VIEWS			
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS		Teacher mail boxes in central location, close to Reception.	
SI ECIAL CONSIDERATIONS		reacher man boxes in central location, close to neception.	
ARCHITECTURAL			
DOOR TYPE		Wood door/PSF with Sidelight	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK		Min 8 lm open base cabinets and open uppers, ensure upper cabinets hold	
		binders.	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS		
INTERIOR WINDOW COVER	INGS	Yes	
FF&E REFER TO FURNITUR	E AND EQUI		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Exhaust Air	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		OC with manual override switches	

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.3
BASE DESIGN ROOM NUMBER:	C024, P041
COMPONENT GROUP	
AREA NAME	STAFF WORKROOM
OCCUPANT	

POWER	General purpose receptacle, photocopier receptacle, above counter receptacles
COMMUNICATIONS	1 VOIP + 1 data for photocopier + 2 data above counter in at 2 locations
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	N/A
OTHER	Printer, Laminator

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.4	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	STORAGE	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Administration Storage
PRIMARY USER		Administration/Staff
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		
WALLS		
CEILING		
DOOR HARDWARE		
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		
COMMUNICATIONS		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.4
BASE DESIGN ROOM NUMBER:	
COMPONENT GROUP	
AREA NAME	STORAGE
OCCUPANT	
CLASS CALL/INTERCOM	
CLOCK	
SOUND ENHANCEMENT	
SPECIALTY A/V (TV, projector	rs)
DATA	
SECURITY - CARD ACCESS	
SECURITY - VIDEO SURVEILL	ANCE
SECURITY - INTRUSION	
OTHER	

Functional Program Room Data Sheet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B1.0		
BASE DESIGN ROOM NUMBER:	C042, P056		
COMPONENT GROUP			
AREA NAME	KITCHEN/S	SERVERY	
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Fully accessible prep kitchen used primarily for instruction, lunch-hour and	
		special events. Shared between schools.	
PRIMARY USER		Staff, students, special events access	
DESIGNED OCCUPANCY NU	MBER	10-12	
ORIENTATION / VIEWS		View to shared core and student commons	
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door/PSF with sidelite, Overhead door w/transparent paneling	
WINDOW, EXTERIOR		Wood door/151 With sidence, overhead door w/transparent panemig	
WINDOW, EXTERIOR WINDOW, INTERIOR			
MILLWORK		min 12 lm perimeter Base cabinets and uppers, combo open/closed, 2 sinks -	
WILLWORK			
		1 industrial, 1 double basin residential, 1 island on castors - student and	
		teacher height - min 2.5 lm.	
PRIVACY/SECURITY		OH glass garage doors	
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		RSF or Ceramic Tile	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER			
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
31 LCIAL NEQUINEIVIENTS			
MECHANICAL			
OTHER		Kitchen Exhaust Hoods, Sinks	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
נוטחווויט		NOT-UITHINGUE TETTINE	

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	B1.0
BASE DESIGN ROOM NUMBER:	C042, P056
COMPONENT GROUP	
AREA NAME	KITCHEN/SERVERY
OCCUPANT	
LIGHTING CONTROL	OC w/manual override switches
POWER	Receptacles / hard wired connections to suit equipment list
COMMUNICATIONS	1 VOIP phone + 2 data at 2 locations
CLASS CALL/INTERCOM	Via phone and ceiling speakers

Functional Program Room Data Sheet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.1		
BASE DESIGN ROOM NUMBER:	C037, P051		
COMPONENT GROUP			
AREA NAME	FEMALE CH	LANGE	
OCCUPANT	FLIVIALL CI	HANGE	
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Change room for girls gym classes and evening events.	
PRIMARY USER		Phys Ed class	
DESIGNED OCCUPANCY NU	MBFR	15	
ORIENTATION / VIEWS			
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS		Hone required.	
SI EGINE GOTTOID ETTATTOTA			
ARCHITECTURAL			
DOOR TYPE		Wood door/PSF	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK		Continuous wood bench, break away hooks and cubbies overhead	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		EP	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable - Dead Bolt	
EXTERIOR WINDOW COVERINGS		Lockable Bead Bolt	
INTERIOR WINDOW COVER			
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Exhaust, Water Closets, Lavatories, Floor Drains	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		OC	
POWER		Housekeeping receptacles	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.1	
BASE DESIGN ROOM NUMBER:	C037, P051	
COMPONENT GROUP		
AREA NAME	FEMALE CHA	ANGE
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		Functional Program Room Data Sneet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.2	
BASE DESIGN ROOM	C038, P05	2
NUMBER:		
COMPONENT GROUP		
AREA NAME	MALE CHA	NGE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Change room for boys gym classes and evening events.
PRIMARY USER		Phys Ed class
DESIGNED OCCUPANCY NU	MBER	15
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Continuous wood bench, break away hooks and cubbies overhead
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		EP
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable - Dead Bolt
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC
POWER		Housekeeping receptacles
COMMUNICATIONS		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.2	
BASE DESIGN ROOM NUMBER:	C038, P052	
COMPONENT GROUP		
AREA NAME	MALE CHAN	GE
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.3	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	PRE-K/K W	//C
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Individual washrooms for Pre-k/k.
PRIMARY USER		
DESIGNED OCCUPANCY NU	JMBER	2
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		EP
WALLS		Paint, Ceramic Wall Tile to 4'
CEILING		ACT
DOOR HARDWARE		Lockable - Dead Bolt
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	RINGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
AATOHAANOAI		
MECHANICAL		Fulcaust Water Classic Lauretonias Flagra Duning
OTHER		Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		
COMMUNICATIONS		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.3
BASE DESIGN ROOM NUMBER:	
COMPONENT GROUP	
AREA NAME	PRE-K/K W/C
OCCUPANT	
CLASS CALL/INTERCOM	
CLOCK	
SOUND ENHANCEMENT	
SPECIALTY A/V (TV, projector	rs)
DATA	
SECURITY - CARD ACCESS	
SECURITY - VIDEO SURVEILL	ANCE
SECURITY - INTRUSION	
OTHER	

Tanetional Frogram Noom Bata Silect		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.4	
BASE DESIGN ROOM	C017, C223	3, P013, P027, P222, P247
NUMBER:		
COMPONENT GROUP		
AREA NAME	STUDENT V	N/C
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Individual washrooms with shared sink area.
PRIMARY USER		Students
DESIGNED OCCUPANCY NU	MBER	Varies
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		Sink in all 2nd floor w/c. Each accessible washroom to be unisex and contain a
		skink, toilet and urinal.
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Sanitary disposal in all 2nd floor assigned women's w/c
OTHER		, ,
FLOORS		EP
WALLS		Paint, Ceramic Wall Tile to 4'
CEILING		GWB
DOOR HARDWARE		Lockable - washroom privacy set.
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC
POWER		General purpose receptacle in multi-stall washrooms

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.4	
BASE DESIGN ROOM NUMBER:	C017, C223, P013, P027, P222, P247	
COMPONENT GROUP		
AREA NAME	STUDENT W/C	
OCCUPANT		
COMMUNICATIONS	N/A	
CLASS CALL/INTERCOM	Via ceiling speakers	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, project	ors) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

		_
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.5	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	BARRIER F	REE W/C
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Barrier free washrooms for students with limited mobility. To be access by
		staff when not in use.
PRIMARY USER		Staff/Students
DESIGNED OCCUPANCY NU	MBER	2
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		·
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		·
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		EP EP
WALLS		Paint, Ceramic Wall Tile to 4'
		ACT
CEILING		Lockable - Dead Bolt
DOOR HARDWARE		LOCKADIE - DEAG BOIL
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	IINGS	
FEO F DEFED TO FURNITUR	F AND FOLL	DAAFAIT LICT
FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SPECIAL REQUIREIVIENTS		
MECHANICAL		
OTHER		Exhaust, Water Closets, Lavatories, Floor Drains
		,,,,,,
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.5
BASE DESIGN ROOM NUMBER:	
COMPONENT GROUP	
AREA NAME	BARRIER FREE W/C
OCCUPANT	
COMMUNICATIONS	
CLASS CALL/INTERCOM	
CLOCK	
SOUND ENHANCEMENT	
SPECIALTY A/V (TV, projecto	rs)
DATA	
SECURITY - CARD ACCESS	
SECURITY - VIDEO SURVEILL	ANCE
SECURITY - INTRUSION	
OTHER	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER: B2.6		
BASE DESIGN ROOM C066, C218, P046, P047, P228 NUMBER:	C066, C218, P046, P047, P228	
COMPONENT GROUP		
AREA NAME STAFF W/C		
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION Individual washrooms	with sink. For staff use only.	
PRIMARY USER Staff	,	
DESIGNED OCCUPANCY NUMBER 1		
ORIENTATION / VIEWS		
DAYLIGHTING None required.		
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE Wood door/PSF		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
	pper storage cabinet for personal items, one sink.	
PRIVACY/SECURITY	, , , , , , , , , , , , , , , , , , ,	
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS EP		
WALLS Paint, Ceramic Wall Ti	le to 4'	
CEILING GWB		
DOOR HARDWARE Lockable - washroom	privacy set.	
EXTERIOR WINDOW COVERINGS	,	
INTERIOR WINDOW COVERINGS		
FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
TYPE QT DESCRIPTION		
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER Exhaust, Water Close	ets, Lavatories, Floor Drains	
ELECTRICAL		
LIGHTING Non-dimmable lighti	ng	
LIGHTING CONTROL OC sensor		
POWER GFI vanity receptacle	1	
COMMUNICATIONS N/A		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.6	
BASE DESIGN ROOM NUMBER:	C066, C218, P046, P047, P228	
COMPONENT GROUP		
AREA NAME	STAFF W/C	
OCCUPANT		
CLASS CALL/INTERCOM	N/A	
CLOCK	No	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projector	ors) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

Tunctional Flogram Room Buta Sheet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM	B4.0		
ROOM NUMBER:			
BASE DESIGN ROOM	C041		
NUMBER:			
COMPONENT GROUP			
AREA NAME	RECYCLIN	G	
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Recycling storage to meet LEED requirements, shared between schools.	
PRIMARY USER		Facilities Management, Students	
DESIGNED OCCUPANCY NU	IMBER	4	
ORIENTATION / VIEWS			
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		HM door/PSF	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK			
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		CONC	
WALLS		Paint	
CEILING		ES	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVERINGS			
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST	
		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Exhaust	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		OC	
POWER		General purpose receptacles	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B4.0	
BASE DESIGN ROOM NUMBER:	C041	
COMPONENT GROUP		
AREA NAME	RECYCLING	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projector	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B4.1	
BASE DESIGN ROOM	C042	
NUMBER:		
COMPONENT GROUP		
AREA NAME	DELIVERIE	S
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Temporary storage for deliveries.
PRIMARY USER		Facilities Management
DESIGNED OCCUPANCY NU	IMBER	2
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		CONC
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC sensor
POWER		General purpose receptacles
COMMUNICATIONS		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B4.1	
BASE DESIGN ROOM NUMBER:	C042	
COMPONENT GROUP		
AREA NAME	DELIVERI	ES
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Door contacts at exterior doors.
OTHER		

Functional Program Room Data Sneet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B5.0		
BASE DESIGN ROOM NUMBER:	P035, P22	9, C034	
COMPONENT GROUP			
AREA NAME	JANITOR		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Provide mop sink and ample storage.	
PRIMARY USER		Facilities Management	
DESIGNED OCCUPANCY NU	MBER	1	
ORIENTATION / VIEWS			
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS		·	
ARCHITECTURAL			
DOOR TYPE		HM door/PSF - door swing into corridor.	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK			
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		Mop sink.	
OTHER		THOP SHIRE	
FLOORS		CONC	
WALLS		Paint/FRP on Walls	
CEILING		ES ES	
DOOR HARDWARE		Lockable - storage room set.	
EXTERIOR WINDOW COVER	RINGS	Lockable Storage room set.	
INTERIOR WINDOW COVER			
FF&F RFFFR TO FURNITUR	F AND FOUI	PMFNT LIST	
TYPE	FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION		
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Exhaust, Janitors Sink, Floor Drain	
5 <u>-</u>			
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		OC	
POWER		General purpose receptacles in room, GFI duplex recep.	
COMMUNICATIONS		N/A	
231111131113/1110113		1970	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B5.0	
BASE DESIGN ROOM NUMBER:	P035, P229, C034	
COMPONENT GROUP		
AREA NAME	JANITOR	
OCCUPANT		
CLASS CALL/INTERCOM	N/A	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	rs) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

Functional Program Room Data Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.2	
BASE DESIGN ROOM NUMBER:	P053, C02	1
COMPONENT GROUP		
AREA NAME	GYM STOR	RAGE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Gym equipment storage for indoor & outdoor Phys Ed program, equipment located with fenced area.
PRIMARY USER		Gym Teacher, Staff, Admin
DESIGNED OCCUPANCY NU	MBER	6
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		HM door/PSF
WINDOW, EXTERIOR		11111 docty 1 51
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		CONC
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC
POWER		General purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.2	
BASE DESIGN ROOM NUMBER:	P053, C02	1
COMPONENT GROUP		
AREA NAME	GYM STOR	RAGE
OCCUPANT		
COMMUNICATIONS		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projector	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		gym audio system equipment rack (1 per school); gym audio system mobile equipment rack (1 per school)

Functional Program Room Data Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	С3	
BASE DESIGN ROOM NUMBER:	P023, P060	0, P062, P246
COMPONENT GROUP		
AREA NAME	BOOT ROO	DM
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Student Entrances complete with Boot Shelving on side walls
PRIMARY USER		Students, all staff
DESIGNED OCCUPANCY NU	MBER	to sui each learning community
ORIENTATION / VIEWS		To the outdoor play/education areas
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR		Aluminum storefront
WINDOW, INTERIOR		Aluminum storefront
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Boot racks to accommodate occupancy, 4' high - 4 tier
OTHER		Wall protection
FLOORS		RSF w/ carpet walk off system.
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable from exterior
EXTERIOR WINDOW COVERINGS		Econolic Hom executor
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SPECIAL NEQUINEIVIEIVIS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC w/ non-switched night lighting
POWER		General purpose receptacle (housekeeping)
COMMUNICATIONS		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	С3	
BASE DESIGN ROOM NUMBER:	P023, P060, P062, P246	
COMPONENT GROUP		
AREA NAME	OOT ROOM	
OCCUPANT		
CLASS CALL/INTERCOM	Via ceiling speakers	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, project	s) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE Cameras at exterior doors + in boot room	
SECURITY - INTRUSION	Door contacts at all exterior doors.	
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	C4	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	VESTIBULE	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		
PRIMARY USER		
DESIGNED OCCUPANCY NU	JMBER	
ORIENTATION / VIEWS		
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		
WALLS		
CEILING		
DOOR HARDWARE		
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS		
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS	SPECIAL REQUIREMENTS	
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		
COMMUNICATIONS		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	C4
BASE DESIGN ROOM NUMBER:	
COMPONENT GROUP	
AREA NAME	VESTIBULE
OCCUPANT	
CLASS CALL/INTERCOM	
CLOCK	
SOUND ENHANCEMENT	
SPECIALTY A/V (TV, projecto	ors)
DATA	
SECURITY - CARD ACCESS	
SECURITY - VIDEO SURVEILL	ANCE
SECURITY - INTRUSION	
OTHER	

Functional Program Room Data Sneet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.1	
BASE DESIGN ROOM NUMBER:	C013, C01	4, C020, P010, P011, P017, P019, P030, P031,
COMPONENT GROUP		
AREA NAME	LEARNING	SPACE
OCCUPANT	GRADE 1-3	<u> </u>
FUNCTIONAL CRITERIA	1	
SPACE FUNCTION		General instructional space
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	IMBER	25 + 2 adults
ORIENTATION / VIEWS		View to exterior and learning commons
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with sidelite, Overhead door w/transparent paneling, Sliding
		Barn style door w/ translucent panels.
WINDOW, EXTERIOR		Vision glazing
WINDOW, INTERIOR		Vision glazing where applicable
MILLWORK		Tistern Grazing Where approach
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES SPECIALTIES		1 @ 2440mm x 1220 mm tack, 2 @ 2240 m x 1220 mm white board
OTHER		1 @ 2 1 formit x 1220 mm tack, 2 @ 22 form x 1220 mm writer board
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER		165
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and separate
		whiteboard fixture control at front, on/off control at room entrance

ROOM DATA SHEET		
	FUNCTIONAL PROGRAM ROOM NUMBER:	G1.1
	BASE DESIGN ROOM NUMBER:	C013, C014, C020, P010, P011, P017, P019, P030, P031,
	COMPONENT GROUP	
	AREA NAME	LEARNING SPACE
	OCCUPANT	GRADE 1-3

POWER	Work station recented as general number recented a prejector recented
POWER	Work station receptacles, general purpose receptacles, projector receptacle
COMMUNICATIONS	2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	AV input at desk + at projector up to ceiling, projectors centered on
	whiteboard.
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	Projector

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.2
BASE DESIGN ROOM NUMBER:	C202, C203, C204, C230, C231, P202, P204, P205, P207, P208, P209, P236, P237, P241, P243
COMPONENT GROUP	
AREA NAME	LEARNING SPACE
OCCUPANT	GRADE 4-8

ARLA IVAIVIL	CDADE 4.0
OCCUPANT	GRADE 4-8
FUNCTIONAL CRITERIA	
SPACE FUNCTION	General instructional space
PRIMARY USER	Students, teachers
DESIGNED OCCUPANCY NU	JMBER 25 + 2 adults
ORIENTATION / VIEWS	View to exterior and learning commons
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with sidelite, Overhead door w/transparent paneling, Sliding
	Barn style door w/ translucent panels or solid door.
WINDOW, EXTERIOR	Vision glazing
WINDOW, INTERIOR	Vision glazing where applicable
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	1 @ 2440mm x 1220 mm tack, 2 @ 2240 m x 1220 mm white board
OTHER	, ,
FLOORS	СТ
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVER	RINGS Yes
INTERIOR WINDOW COVER	RINGS
FF&E REFER TO FURNITUR	E AND EQUIPMENT LIST
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	OC and daylight sensor controlled w/ manual dimmer override and separate
	whiteboard fixture control at front, on/off control at room entrance
	· · ·

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.2
BASE DESIGN ROOM NUMBER:	C202, C203, C204, C230, C231, P202, P204, P205, P207, P208, P209, P236, P237, P241, P243
COMPONENT GROUP	
AREA NAME	LEARNING SPACE
OCCUPANT	GRADE 4-8

POWER	Work station receptacles, general purpose receptacles, projector receptacle
COMMUNICATIONS	2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	AV input at desk + at projector up to ceiling, projectors centered on
	whiteboard.
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	Projector

		Functional Program Room Data Sneet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.3	
BASE DESIGN ROOM NUMBER:	C003, P004	4, P005
COMPONENT GROUP		
AREA NAME	LEARNING	SPACE
OCCUPANT	KINDERGA	RTEN
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Early learning instructional space
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	25 + 2 adults
ORIENTATION / VIEWS		View to exterior and learning commons
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with sidelite, Overhead door w/transparent paneling, Sliding
		Barn style door w/ translucent panels.
WINDOW, EXTERIOR		Vision glazing
WINDOW, INTERIOR		Vision glazing where applicable
MILLWORK		3 Im cabinets and uppers, closed and lockable, peninsula art sink
PRIVACY/SECURITY		5 in cabinets and appers, closed and lockable, perimisala are sink
INTERIOR FEATURES		
SPECIALTIES		2 @ 2440mm x 1220 mm tack board
OTHER		2 (w 244011111 x 1220 111111 tack board
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	DINICS	Yes
INTERIOR WINDOW COVER		Tes
INTERIOR WINDOW COVER	IIIVUS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		2 Sinks - 1 peninsula type art sink at low ht and sink at regular ht. for teacher.
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and separate
		whiteboard fixture control at front, on/off control at room entrance

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.3
BASE DESIGN ROOM NUMBER:	C003, P004, P005
COMPONENT GROUP	
AREA NAME	LEARNING SPACE
OCCUPANT	KINDERGARTEN

POWER	Work station receptacles, general purpose receptacles, projector receptacle
COMMUNICATIONS	2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	AV input at desk + at projector up to ceiling, projectors centered on whiteboard.
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	

		Tunctional Flogram Room Butta Sheet	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM	G2.16		
ROOM NUMBER:			
BASE DESIGN ROOM	C022, C215, C225, C229, P009, P064, P214, P225, P235, P238, P245		
NUMBER:			
COMPONENT GROUP			
AREA NAME	STORAGE		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Storage of books and other teaching materials and supplies.	
PRIMARY USER		Teachers, Staff	
DESIGNED OCCUPANCY NU	MBER	0	
ORIENTATION / VIEWS			
DAYLIGHTING		None required.	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		HM/PSF	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK			
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS	Editable	
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND FOU	PMENT LIST	
TYPE	TYPE QT DESCRIPTION		
STRUCTURAL			
SPECIAL REQUIREMENTS			
,			
MECHANICAL			
OTHER			
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		OC	
POWER		General purpose receptacle	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.16	
BASE DESIGN ROOM NUMBER:	C022, C215, C	225, C229, P009, P064, P214, P225, P235, P238, P245
COMPONENT GROUP		
AREA NAME	STORAGE	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecte	ors)	N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILL	ANCE	N/A
SECURITY - INTRUSION		N/A
OTHER		

		Tunctional Tropian Room Data Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.17	
BASE DESIGN ROOM NUMBER:	C023, C209), P034, P232
COMPONENT GROUP		
AREA NAME	CHARGING	STATION
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Lockable storage space for technology carts and touch down charging space for classroom devices.
PRIMARY USER		Teachers
DESIGNED OCCUPANCY NU	IMBER	1
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Charging station
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable - storage room set.
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	RINGS	
FF&E REFER TO FURNITUR	E AND EQUIF	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC sensor
POWER		Duplex receptacle in cart mounted up 1220mm, specialty for IT
-		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.17	
BASE DESIGN ROOM NUMBER:	C023, C209,	P034, P232
COMPONENT GROUP		
AREA NAME	CHARGING S	STATION
OCCUPANT		
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILL	ANCE	N/A
SECURITY - INTRUSION		N/A
OTHER		Possible Data Rack in IT Room

	Tanetional Frogram Noom Bata Silect		
ROOM DATA SHEET			
FUNCTIONAL PROGRAM	G2.18		
ROOM NUMBER:			
BASE DESIGN ROOM	C200, C20	6, P226, P240	
NUMBER:			
COMPONENT GROUP			
AREA NAME	PERCH		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Dedicated open space for collaborative learning in small groups.	
PRIMARY USER		Students	
DESIGNED OCCUPANCY NU	MBER	Varies	
ORIENTATION / VIEWS		Overlooks student commons and presentation stair below.	
DAYLIGHTING		Borrowed Desireable	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE			
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK			
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		СТ	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE			
EXTERIOR WINDOW COVERINGS			
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER			
ELECTRICAL			
LIGHTING		Dimmable lighting	
LIGHTING CONTROL		Dim/OC/Daylight Sensor	
POWER		General purpose (housekeeping) receptacles to suit	
COMMUNICATIONS		N/A	

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.18
BASE DESIGN ROOM NUMBER:	C200, C206, P226, P240
COMPONENT GROUP	
AREA NAME	PERCH
OCCUPANT	
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	No
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, project	ors) AV input, O/H Data
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILI	LANCE N/A
SECURITY - INTRUSION	N/A
OTHER	Projector

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.19	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	IT CLOSET	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Closet for network/servers.
PRIMARY USER		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, EXTERIOR WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS WALLS		
CEILING DOOR HARDWARE		
EXTERIOR WINDOW COVER	DINICS	
INTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	illuga	
550 5 D5550 TO 51 D11T11D	E AND FOLU	DAGNIT LIGT
FF&E REFER TO FURNITUR	E AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		
COMMUNICATIONS		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.19
BASE DESIGN ROOM NUMBER:	
COMPONENT GROUP	
AREA NAME	IT CLOSET
OCCUPANT	
CLASS CALL/INTERCOM	
CLOCK	
SOUND ENHANCEMENT	
SPECIALTY A/V (TV, projector	rs)
DATA	
SECURITY - CARD ACCESS	
SECURITY - VIDEO SURVEILL	ANCE
SECURITY - INTRUSION	
OTHER	

Tunetional Fog. am Noon Data Sheet				
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.2			
BASE DESIGN ROOM NUMBER:	C011, C207	C011, C207, P015, P018, P028, P203, P218, P223, P239, P242		
COMPONENT GROUP				
AREA NAME	BREAKOUT	-		
OCCUPANT				
FUNCTIONAL CRITERIA				
SPACE FUNCTION		A small group room for general use and to be used as a break-out space		
PRIMARY USER		Students, teachers		
DESIGNED OCCUPANCY NU	MBER	8-12		
ORIENTATION / VIEWS		Views to exterior if possible		
DAYLIGHTING		Desireable		
SPECIAL CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door/PSF with Sidelite		
WINDOW, EXTERIOR		,		
WINDOW, INTERIOR		Aluminum storefront		
MILLWORK				
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES		2 @ 2240 m x 1220 mm white board, smart LCD touch screen if possible.		
OTHER		2 @ 2240 HTX 1220 HHTT WHITE BOATD, SHIATT LCD TOUCH SCIENT II possible.		
		CT		
FLOORS		CT		
WALLS		Paint		
CEILING		ACT		
DOOR HARDWARE	NINGS.			
EXTERIOR WINDOW COVER				
INTERIOR WINDOW COVER	INGS	Yes		
FF&E REFER TO FURNITUR	E AND FOLII	PMENT LIST		
TYPE	L AITO EQUI	QT DESCRIPTION		
1112		Q. D. DOMINION		
STRUCTURAL				
SPECIAL REQUIREMENTS				
MECHANICAL				
OTHER				
ELECTRICAL.				
ELECTRICAL				
LIGHTING		Non-dimmable lighting		
LIGHTING CONTROL		OC w/manual override switches		
POWER		Work station receptacles, general purpose receptacles		
COMMUNICATIONS		2 data		

		-
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.2	
BASE DESIGN ROOM NUMBER:	C011, C207	, P015, P018, P028, P203, P218, P223, P239, P242
COMPONENT GROUP		
AREA NAME	BREAKOUT	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.24	
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP		
AREA NAME	STUDENT (COMMONS
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Shared common space used for arge group activities and presentations.
PRIMARY USER		Students, teachers, staff
DESIGNED OCCUPANCY NU	MBER	30 minimum
ORIENTATION / VIEWS		Views to exterior if possible
DAYLIGHTING		Direct/Borrowed
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE	•	QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		
LIGHTING CONTROL		
POWER		
COMMUNICATIONS		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.24	
BASE DESIGN ROOM NUMBER:		
COMPONENT GROUP		
AREA NAME	STUDENT (COMMONS
OCCUPANT		
CLASS CALL/INTERCOM		
CLOCK		Yes
SOUND ENHANCEMENT		
SPECIALTY A/V (TV, projectors)		
DATA		
SECURITY - CARD ACCESS		
SECURITY - VIDEO SURVEILLANCE		
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET FUNCTIONAL PROGRAM ROOM NUMBER: COMPONENT GROUP AREA NAME STUDENT SUPPORT OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER STUDENTS SUPPORT OESIGNED OCCUPANCY NUMBER OESIGNED OCCUPANT DESIGNED OCCUPANCY NUMBER OESIGNED OCCUPANT STUDENTS DAYLIGHTING SPECIAL CONSIDERATIONS Borrowed Desireable Borrowed Desireable SPECIAL CONSIDERATIONS Borrowed Desireable WINDOW, EXTERIOR If possible WINDOW, EXTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIAL TES OTHER FLOORS CT WALLS OTHER ELECTRICAL SPECIAL TES FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION TRUCTURAL SPECIAL RES SPECIAL RES PRIVACY DESCRIPTION TYPE QT DESCRIPTION TRUCTURAL SPECIAL RES SPECIAL RES SPECIAL RES FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION TRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING LIGHTING Non-dimmable lighting LIGHTING LIGHTING Non-dimmable lighting LIGHTING CONTROL OC Sensor w/ manual override switches	Functional Program Room Data Sneet			
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION General office or small meeting room for student support services. Students, teachers, staff DeSigning to CCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING ARCHITECTURAL DOOR TYPE WOOD door/PSF with Sidelite WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIAL CONSIDERATIOS 1 ea @ 1220 mm x 1220 mm tack and white board THER FLOORS CT WALLS Paint CEILING DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL BECTICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC Sensor W/ manual override switches	ROOM DATA SHEET			
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER Students, teachers, staff DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, INTERIOR MILLWORK MINDOW, INTERIOR MILLWORK MINDOW, INTERIOR MILLWORK MINTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR FOR AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUTURAL SPECIAL REQUIREMENTS MECHANICA MICHANICA Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	FUNCTIONAL PROGRAM	G2 5		
NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite If possible WINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL UIGHTING INDICATED Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	ROOM NUMBER:	G2.5		
NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite If possible WINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL UIGHTING INDICATED Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	BASE DESIGN ROOM	C220, C22	1	
AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER SUdents, teachers, staff DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COV				
AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER SUdents, teachers, staff DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COV	COMPONENT GROUP			
FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER Students, teachers, staff DESIGNED OCCUPANCY NUMBER 2-6 ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR MILLWORK MINDOW, EXTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL UGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches		STUDENT S	SUPPORT	
FUNCTIONAL CRITERIA SPACE FUNCTION Seneral office or small meeting room for student support services. PRIMARY USER Students, teachers, staff 2-6 ORIENTATION / VIEWS DAYLIGHTING BORTOWED DESIGNED SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR If possible WINDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL O'C sensor w/ manual override switches		0.002		
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING BOrrowed Desireable SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERI	FUNCTIONAL CRITERIA	l		
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING BOrrowed Desireable SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERI	SPACE FUNCTION		General office or small meeting room for student support services.	
ORIENTATION / VIEWS DAYLIGHTING Borrowed Desireable SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WinDOW, EXTERIOR If possible WinDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	PRIMARY USER		·	
DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR If possible WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	DESIGNED OCCUPANCY NU	MBER		
DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR If possible WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	ORIENTATION / VIEWS			
ARCHITECTURAL DOOR TYPE Window, Exterior Window, Exterior Window, Interior Millwork Millwork PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS WECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING ONTROL OC sensor w/ manual override switches	•		Borrowed Desireable	
ARCHITECTURAL DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR If possible WINDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
DOOR TYPE Wood door/PSF with Sidelite WINDOW, EXTERIOR If possible WINDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
WINDOW, EXTERIOR If possible WINDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	ARCHITECTURAL			
WINDOW, EXTERIOR If possible WINDOW, INTERIOR Aluminum storefront MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	DOOR TYPE		Wood door/PSF with Sidelite	
WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING INDOMEDIATE INDOMEDIATE LIGHTING INDOMEDIATE INDO	WINDOW, EXTERIOR			
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC SENSOR W/ manual override switches	-		·	
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
INTERIOR FEATURES SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
SPECIALTIES 1 ea @ 1220 mm x 1220 mm tack and white board OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	-			
OTHER FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches			1 ea @ 1220 mm v 1220 mm tack and white hoard	
FLOORS CT WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches			1 cd @ 1220 mm x 1220 mm tack and write board	
WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches			СТ	
CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches			ACI .	
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches		NINGS		
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	THE WORLD WITH COVER			
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	FE&F REFER TO FURNITUR	F AND FOLII	PMENT LIST	
STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches		L AITD EQUI		
SPECIAL REQUIREMENTS MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	1112		QT DESCRIPTION	
MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	STRUCTURAL			
MECHANICAL OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
OTHER ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches				
ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	MECHANICAL			
ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	OTHER			
LIGHTING Non-dimmable lighting LIGHTING CONTROL OC sensor w/ manual override switches	2			
LIGHTING CONTROL OC sensor w/ manual override switches	ELECTRICAL			
LIGHTING CONTROL OC sensor w/ manual override switches	LIGHTING		Non-dimmable lighting	
· · · · · · · · · · · · · · · · · · ·				
POWER Work station receptacles, general purpose receptacles	POWER		Work station receptacles, general purpose receptacles	
COMMUNICATIONS 1 x VoIP				

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.5	
BASE DESIGN ROOM NUMBER:	C220, C221	
COMPONENT GROUP		
AREA NAME	STUDENT SU	JPPORT
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		Data receptacles
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		Functional Program Room Data Sneet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.6	
BASE DESIGN ROOM NUMBER:	C059, C20	1, C227, P016, P029, P065, P201, P233
COMPONENT GROUP		
AREA NAME	LEARNING	COMMONS
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Shared instructional space used for project based learning, large group activities and presentation. To be divisible for various simultaneous group activities.
PRIMARY USER		Students, teachers, external staff
DESIGNED OCCUPANCY NU	MBER	25 minimum
ORIENTATION / VIEWS		Where possible
DAYLIGHTING		Direct/Borrowed
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		If possible
WINDOW, INTERIOR		
MILLWORK		Main floor - wet/messy area min 6 lm uppers and lowers w/ peninsula sink. Second Floor - min 1.8 uppers and lowers w/ sink.
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		CT/RSF at wet/messy areas
WALLS		Paint
CEILING		ACT or ES
DOOR HARDWARE		
EXTERIOR WINDOW COVER		Yes
INTERIOR WINDOW COVER	INGS	
FEO E DEFED TO FURNITUR	F AND FOU	DAAFAIT LICT
FF&E REFER TO FURNITUR TYPE	E AND EQUI	QT DESCRIPTION
IIFE		QI DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SPECIAL REQUIREIVIENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting
<u> </u>		<u>, </u>

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.6
BASE DESIGN ROOM NUMBER:	C059, C201, C227, P016, P029, P065, P201, P233
COMPONENT GROUP	
AREA NAME	LEARNING COMMONS
OCCUPANT	

LIGHTING CONTROL	OC and daylight sensor controlled
POWER	General purpose receptacles, receptacles for charge stations
COMMUNICATIONS	2 data
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	YES
SPECIALTY A/V (TV, projectors)	AV input, O/H Data
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	projector, select areas to have portable sound system

		Tunetional Flogram Room Butta Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.8	
BASE DESIGN ROOM NUMBER:	C040, P21	7
COMPONENT GROUP		
AREA NAME	PERSONAL	. CARE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Fully accessible W/C for students requiring assistance
PRIMARY USER		Students, Student Services staff
DESIGNED OCCUPANCY NU	MBER	2 to 3
ORIENTATION / VIEWS		
DAYLIGHTING		None required.
SPECIAL CONSIDERATIONS		Special needs lift - accessibility for personal care.
		, i
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		.9 Im locked cabinet for hygiene products.
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Ceiling Lift
OTHER		
FLOORS		EP
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Water Closets, Lavatories, Floor Drains
FLECTRICAL		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC CFI was a tool to a too
POWER		GFI receptacles by sink
COMMUNICATIONS		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.8	
BASE DESIGN ROOM NUMBER:	C040, P217	
COMPONENT GROUP		
AREA NAME	PERSONAL	CARE
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		Functional Program Room Data Sneet		
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	P1.1			
BASE DESIGN ROOM NUMBER:	C036, P05	0		
COMPONENT GROUP				
AREA NAME	GYM			
OCCUPANT				
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Physical education		
PRIMARY USER		Students, teachers, admin staff, public after hours		
DESIGNED OCCUPANCY NU	IMBER	to suit NBC		
ORIENTATION / VIEWS				
DAYLIGHTING		Direct/Borrowed		
SPECIAL CONSIDERATIONS		,		
ARCHITECTURAL				
DOOR TYPE		Alum, fully glazed & HM/PSF		
WINDOW, EXTERIOR		High level translucent glazing		
WINDOW, INTERIOR		Aluminum storefront		
MILLWORK				
PRIVACY/SECURITY				
INTERIOR FEATURES		12' projection screen - powered.		
SPECIALTIES		Divider Curtain - retracts to ceiling		
OTHER		Divider curtain retracts to centing		
FLOORS		Cushion backed Sport Floor		
WALLS		Paint		
CEILING		ES		
DOOR HARDWARE		Lockable		
	RINGS	Yes		
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS		103		
INTERIOR WINDOW COVER				
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST		
ТҮРЕ		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS				
MECHANICAL				
OTHER		Chilled water fountain		
ELECTRICAL				
LIGHTING		Dimmable lighting if daylight harvesting		
LIGHTING CONTROL		OC with manual override switches providing multi-level lighting (daylight		
		sensors w/ manual override dimmers req'd if natural light provided)		
POWER		General purpose receptacles throughout. receptacle for projector		

Functional Program Room Data Sheet

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P1.1	
BASE DESIGN ROOM NUMBER:	C036, P050	
COMPONENT GROUP		
AREA NAME	GYM	
OCCUPANT		
COMMUNICATIONS		2 data at 4 locations: adjacent to sound system inputs (x2), near projector screen location
CLASS CALL/INTERCOM		Via wall phone and gym audio system O/H speakers; wall phone located in gym storage
CLOCK		Yes (x2)
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		Ceiling mounted speakers & 2 connection points to gym audio system (one on each half)
DATA		WAP
SECURITY - CARD ACCESS		No
SECURITY - VIDEO SURVEILLANCE		No

Door contacts at all exterior doors.

controller, projector screen, curtain divider

6 motorized basketball winches w/ keyed switches, scoreboard with

SECURITY - INTRUSION

OTHER

		Functional Program Room Data Sheet		
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.1			
BASE DESIGN ROOM NUMBER:	C208, C22	4, P224, P244		
COMPONENT GROUP				
AREA NAME	DAVINCI S	TUDIO		
OCCUPANT				
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Flexible instructional space for arts and science based learning.		
PRIMARY USER				
DESIGNED OCCUPANCY NU	MBER	25 + 2 adults		
ORIENTATION / VIEWS		View to exterior		
DAYLIGHTING		Direct		
SPECIAL CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door/PSF with sidelite, Sliding Barn w/glass style door		
WINDOW, EXTERIOR		Vision glazing		
WINDOW, INTERIOR		¥151011 61021116		
MILLWORK		min 7.6 lm uppers and lowers, 2 single sinks.		
PRIVACY/SECURITY		Timi 7.0 iii appers and lowers, 2 single sinks.		
INTERIOR FEATURES				
SPECIALTIES		1 @ 2440mm x 1220 mm tack, 2 @ 2240 m x 1220 mm white board		
OTHER		1 @ 2440Hill x 1220 Hill tack, 2 @ 2240 Hi x 1220 Hill White board		
FLOORS		RSF		
WALLS		Paint		
CEILING		ACT		
DOOR HARDWARE		Lockable		
	INCC			
EXTERIOR WINDOW COVER INTERIOR WINDOW COVER		Yes		
HATEINION VAINDOVA COVER	IIIVUS			
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST		
ТҮРЕ		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS				
MECHANICAL				
OTHER		Sinks		
ELECTRICAL				
LIGHTING		Dimmable lighting		
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and separate		
DOWED		whiteboard fixture control at front, on/off control at room entrance		
POWER		Work station receptacles, general purpose receptacles, projector receptacle,		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.1
BASE DESIGN ROOM NUMBER:	C208, C224, P224, P244
COMPONENT GROUP	
AREA NAME	DAVINCI STUDIO
OCCUPANT	

	GFI receptacles above counter receptacle for sink.
COMMUNICATIONS	2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	AV input at desk + at projector up to ceiling.
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.4	
BASE DESIGN ROOM	C214, P212)
NUMBER:	(224,122	
COMPONENT GROUP		
AREA NAME	MUSIC RO	OM
OCCUPANT	- Micolo Mo	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Instructional space for band/choral practice.
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	40 + 2 adults
ORIENTATION / VIEWS		View to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
1 11 1512 218 111 6110		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with sidelite
WINDOW, EXTERIOR		Vision glazing
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		Attn to acoustic treatment
SPECIALTIES SPECIALTIES		1 @ 2440mm x 1220 mm tack, 2 @ 2240 m x 1220 mm white board,
0. 20220		projection screen
OTHER		Sound system/stereo
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
OTTIEN		
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and separate
2.3		whiteboard fixture control at front, on/off control at room entrance

Functional Program Room Data Sheet

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.4	
BASE DESIGN ROOM NUMBER:	C214, P212	
COMPONENT GROUP		
AREA NAME	MUSIC ROO	M
OCCUPANT		
POWER		General purpose receptacles, projector receptacle
COMMUNICATIONS		1 VOIP phone, 1 projector
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes

Door contacts at exterior doors

WAP

N/A

N/A

projector

AV input at desk + at projector up to ceiling.

SPECIALTY A/V (TV, projectors)

SECURITY - VIDEO SURVEILLANCE

SECURITY - CARD ACCESS

SECURITY - INTRUSION

DATA

OTHER

		Tunetional 110gram Room Bata Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.11	
BASE DESIGN ROOM NUMBER:	C039, P05	5
COMPONENT GROUP		
AREA NAME	MULTIPUR	POSE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Shared flexible program space.
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	to suit NBC
ORIENTATION / VIEWS		View to exterior
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		Vision glazing
WINDOW, INTERIOR		Aluminum storefront c/s Sliding sections
MILLWORK		0
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF/CT
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE	`	QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL	-	OC and daylight sensor controlled w/ manual dimmer override, on/off
		control at room entrance
POWER		General purpose receptacles, projector receptacle

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.11	
BASE DESIGN ROOM NUMBER:	C039, P055	
COMPONENT GROUP		
AREA NAME	MULTIPURP	OSE
OCCUPANT		
COMMUNICATIONS		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, project	ors)	
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Door contacts at exterior doors
OTHER		

		Functional Program Room Data Sneet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.1	
BASE DESIGN ROOM NUMBER:	PF001, PF	002
COMPONENT GROUP		
AREA NAME	LEARNING	SPACE
OCCUPANT	PRE-KINDE	ERGARTEN
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Pre-Kindergarten instructional space
PRIMARY USER		Pre-K Students, teachers
DESIGNED OCCUPANCY NU	MBER	25 + 3 adults
ORIENTATION / VIEWS		Views to exterior and learning commons
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		Child height sink and toilet
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with sidelite, Sliding Barn w/glass style door
WINDOW, EXTERIOR		Vision glazing - low
WINDOW, INTERIOR		Vision glazing where applicable - low
MILLWORK		3 Im cabinets and uppers, closed and lockable, peninsula art sink
PRIVACY/SECURITY		5 iiii dabiilets and appers, closed and lookable, perimbala are siiik
INTERIOR FEATURES		
SPECIALTIES		2 @ 2440mm x 1220 mm tack board
OTHER		2 @ 2440Hilli X 1220 Hilli tack board
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
	UNICS	
EXTERIOR WINDOW COVER INTERIOR WINDOW COVER		Yes
INTERIOR WINDOW COVER	iivos	
FF&E REFER TO FURNITUR	E AND EQUI	IPMENT LIST
ТҮРЕ	•	QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and on/off control at room entrance
POWER		General purpose receptacles, projector receptacle, above counter receptacle

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.1	
BASE DESIGN ROOM NUMBER:	PF001, PF002	
COMPONENT GROUP		
AREA NAME	LEARNING SPACE	
OCCUPANT	PRE-KINDERGARTEN	
		(GFI) per sink.
COMMUNICATIONS		1 VOIP phone, 1 projector
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No

	(GFI) per sink.
COMMUNICATIONS	1 VOIP phone, 1 projector
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	No
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	AV input at desk + at projector up to ceiling.
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.1	
BASE DESIGN ROOM NUMBER:	C010, P05	8
COMPONENT GROUP		
AREA NAME	LIBRARY	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Open concept reading/study area with book storage.
PRIMARY USER		Students, teachers, admin staff, external staff
DESIGNED OCCUPANCY NU	IMBER	2-3 classes at a time
ORIENTATION / VIEWS		View to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		Aluminum storefront, operable
WINDOW, INTERIOR		Aluminum storefront, operable
MILLWORK		Story area, Resource desk with accessibility counter
PRIVACY/SECURITY		,
INTERIOR FEATURES		Presentation stair
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable Hanging lights above staircase; non-dimmable lighting above
		tech charging stations; combination dimmable lighting in library areas.
		Non-dimmable lighting in library mezzanine
LIGHTING CONTROL		OC providing multiple zone coverage

		_
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.1	
BASE DESIGN ROOM NUMBER:	C010, P058	3
COMPONENT GROUP		
AREA NAME	LIBRARY	
OCCUPANT		
POWER		Above counter receptacles for tech charging station, computer receptacles, general purpose receptacles as required + at desk adjacent to walls, smartboard outlets/receptacles
COMMUNICATIONS		1 teacher work station + 1 VGA + 1 smartboard + 2 data per computer + data at desks adjacent to walls + 2 per tech station
CLASS CALL/INTERCOM		Via desk phone at checkout + O/H Speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		Ceiling mounted power + data for projector. Run connection for projector to checkout
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Motion sensors
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.2	
BASE DESIGN ROOM	C009	
NUMBER:		
COMPONENT GROUP		
AREA NAME	OFFICE	
OCCUPANT		
FUNCTIONAL CRITERIA	1	
SPACE FUNCTION		General office or small meeting space
PRIMARY USER		Staff
DESIGNED OCCUPANCY NU	IMBER	3
ORIENTATION / VIEWS		
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	RINGS	Yes
FF&E REFER TO FURNITUR	E AND EQU	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		OC w/ manual off override switch
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.2	
BASE DESIGN ROOM NUMBER:	C009	
COMPONENT GROUP		
AREA NAME	OFFICE	
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		Tanetional Frogram Room Bata Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.3	
NOON NONDER.		
BASE DESIGN ROOM	C008, P021	l
NUMBER:		
COMPONENT GROUP		
AREA NAME	RESOURCE	CENTRE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Main floor Resource Centre for school resources.
PRIMARY USER		Teachers, Students, Administration
DESIGNED OCCUPANCY NU	MBER	10-12
ORIENTATION / VIEWS		View to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Alum, fully glazed
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 2440mm x 1220 mm tack, 2 @ 2240 m x 1220 mm white board,
		projection screen
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
ELECTRICAL		
		Man disconding the description of the control of th
LIGHTING		Non-dimmable Hanging lights above staircase; non-dimmable lighting above tech charging stations; combination dimmable lighting in library areas. Non-dimmable lighting in library mezzanine

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.3		
BASE DESIGN ROOM NUMBER:	C008, P02	1	
COMPONENT GROUP			
AREA NAME	RESOURCE	CENTRE	
OCCUPANT			
LIGHTING CONTROL		OC providing multiple zone coverage	

LIGHTING CONTROL	OC providing multiple zone coverage
POWER	Above counter receptacles for tech charging station, computer receptacles, general purpose receptacles as required + at desk adjacent to walls, smartboard outlets/receptacles
COMMUNICATIONS	
CLASS CALL/INTERCOM	Via phone at checkout + ceiling Speakers
CLOCK	No
SOUND ENHANCEMENT	Yes
SPECIALTY A/V (TV, projectors)	Ceiling mounted power + data for projector. Run connection for projector to checkout
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Motion sensors
OTHER	printer, photocopier, projector

FUNCTIONAL PROGRAM ROOM NUMBER: BASE DESIGN ROOM P022	_
ROOM NUMBER: K1.5	_
BASE DESIGN ROOM P022	
NUMBER:	
COMPONENT GROUP	
AREA NAME STORAGE	
OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION Lockable storage for resources.	
PRIMARY USER	
DESIGNED OCCUPANCY NUMBER 0	
ORIENTATION / VIEWS	
DAYLIGHTING	
SPECIAL CONSIDERATIONS	
SI EGINE CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE HM/PSF	
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER ST. CO.	
FLOORS CT	
WALLS Paint	
CEILING ACT	
DOOR HARDWARE Lockable	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FERE DEFEN TO ELIDAUTURE AND EQUIDADATAIT LICT	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
TYPE QT DESCRIPTION	
STRUCTURAL	
SPECIAL REQUIREMENTS	
5. 25. 2	
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING Non-dimmable lighting	
LIGHTING CONTROL OC	
POWER General purpose receptacle	
COMMUNICATIONS N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.5	
BASE DESIGN ROOM NUMBER:	P022	
COMPONENT GROUP		
AREA NAME	STORAGE	
OCCUPANT		
CLASS CALL/INTERCOM		Via wall mt'd speakers (gym storage only)
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.2
BASE DESIGN ROOM NUMBER:	PF022, PF024, PF027, PF028
COMPONENT GROUP	Program Flexibility
AREA NAME	TODDLER
OCCUPANT	Preschool children and toddlers

OCCUPANT Preschoo	l children and toddlers
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Flexible program space for preschool children and toddlers
PRIMARY USER	Preschool children, toddlers, and childcare staff
DESIGNED OCCUPANCY NUMBER	Maximum occupancy for children per space standards, plus staff (numbers to
	be confirmed)
ORIENTATION / VIEWS	Views to exterior and adjacent pre-school/toddler rooms
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with upper half vision glazing, Glazed overhead garage door
	between pre-school room, alum glazed doors to the exterior vestibule, wood
	door/PSF with upper half vision glazing with sidelight (entries from main
	corridor), sliding barn door w/glass style door
WINDOW, EXTERIOR	Yes
WINDOW, INTERIOR	Yes
MILLWORK	min. 3 lm of countertop with corresponding uppers and lowers with 1 single
	sink (900mm high), closed and lockable
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Rubber flooring
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Non-lockable
EXTERIOR WINDOW COVERINGS	Yes
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQU	IPMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Wall mounted handwash sink, Sink with bubbler
	·

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.2
BASE DESIGN ROOM NUMBER:	PF022, PF024, PF027, PF028
COMPONENT GROUP	Program Flexibility
AREA NAME	TODDLER
OCCUPANT	Preschool children and toddlers

ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override switch
POWER	Above counter receptacle and General purpose receptacles
COMMUNICATIONS	Workstation outlets, phone outlet
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Provide motion detectors in room.
OTHER	All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.4
BASE DESIGN ROOM NUMBER:	PF019, PF020
COMPONENT GROUP	Program Flexibility
AREA NAME	SLEEP
OCCUPANT	Infants

OCCUPANT Infants		
FUNCTIONAL CRITERIA		
SPACE FUNCTION	Infant sleep room for six cribs	
PRIMARY USER	Infants, staff	
DESIGNED OCCUPANCY NUMBER	6 Infants	
ORIENTATION / VIEWS	Views to infant play room	
DAYLIGHTING	None required	
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE	Sliding wood door/PSF with upper half vision glazing	
WINDOW, EXTERIOR		
WINDOW, INTERIOR	Yes	
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS	Rubber flooring	
WALLS	Paint	
CEILING	ACT	
DOOR HARDWARE	Non-lockable	
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS	Yes - black out with channels	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
ТҮРЕ	QT DESCRIPTION	
STRUCTURAL		
SPECIAL REQUIREMENTS	Column free space	
MECHANICAL		
OTHER		
OTTEN		
ELECTRICAL		
LIGHTING	Dimmable lighting	
LIGHTING CONTROL	Manual dimmer switch	
POWER	General purpose receptacles	
COMMUNICATIONS	N/A	
CLASS CALL/INTERCOM	N/A	

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.4
BASE DESIGN ROOM NUMBER:	PF019, PF020
COMPONENT GROUP	Program Flexibility
AREA NAME	SLEEP
OCCUPANT	Infants
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projecto	ors) N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILL	ANCE N/A
SECURITY - INTRUSION	N/A
OTHER	All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.5
BASE DESIGN ROOM NUMBER:	PF014
COMPONENT GROUP	Program Flexibility
AREA NAME	STAFF ROOM
OCCUPANT	Staff

SPACE FUNCTION Child Care Centre Staff lunch room and gathering space, informal meeting space primary USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING DOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 lm of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CELLING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTE	OCCUPANT Sta	aff
SPACE PRIMARY USER DESIGNED OCCUPANCY NUMBER 6 ORIENTATION / VIEWS DAYLIGHTING DESIGNED OCCUPANCY NUMBER 6 ORIENTATION / VIEWS DAYLIGHTING DESIGNED OCCUPANCY NUMBER SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW EXTERIOR WINDOW EXTERIOR WINDOW EXTERIOR WINDOW EXTERIOR WINDOW EXTERIOR WINDOW COVERINGS WALLS Paint CELILING ACT DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL UIGHTING DImmable lighting. Additional specialty lighting at kitchenette. UIGHTING CONTROL OCCUPANCY SENSOR and daylight sensor controlled with dimmer and override	FUNCTIONAL CRITERIA	
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 lm of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING OCNTROL OCCUPANCY SENSOR and daylight sensor controlled with dimmer and override	SPACE FUNCTION	Child Care Centre Staff lunch room and gathering space, informal meeting
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS INTERIOR WIND		space
ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW COVERINGS WINTERIOR WINDOW COVERINGS WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING DOCUPANCY sensor and daylight sensor controlled with dimmer and override	PRIMARY USER	staff
DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING DOCUPANY SERVED AND Additional specialty lighting at kitchenette. LIGHTING DOCUPANY SERVED AND ADDITIONED AND ADD	DESIGNED OCCUPANCY NUMB	ER 6
SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. Occupancy sensor and daylight sensor controlled with dimmer and override	ORIENTATION / VIEWS	
ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING OCONTROL	DAYLIGHTING	Desirable Borrowed
DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	SPECIAL CONSIDERATIONS	
DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		
WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	ARCHITECTURAL	
WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	DOOR TYPE	Wood door/PSF with upper half vision glazing
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	WINDOW, EXTERIOR	
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		Yes in door
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	· · · · · · · · · · · · · · · · · · ·	Kitchenette - min. 3 lm of counter with corresponding uppers and lowers.
INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	PRIVACY/SECURITY	
SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	· · · · · · · · · · · · · · · · · · ·	
OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x
FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		·
WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	OTHER	·
CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	FLOORS	RSF
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. Occupancy sensor and daylight sensor controlled with dimmer and override	WALLS	Paint
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	CEILING	ACT
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	DOOR HARDWARE	Lockable
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	EXTERIOR WINDOW COVERING	GS S
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	INTERIOR WINDOW COVERING	S
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		
STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	FF&E REFER TO FURNITURE AN	ID EQUIPMENT LIST
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	ТҮРЕ	QT DESCRIPTION
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		
MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	STRUCTURAL	
MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	SPECIAL REQUIREMENTS	Column free space
OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		·
OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	MECHANICAL	
ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		Sink
LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override		
LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	ELECTRICAL	
LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	LIGHTING	Dimmable lighting. Additional specialty lighting at kitchenette.
· · · · · · · · · · · · · · · · · · ·		, , , , ,
		switch. Counter lighting controlled by manual on/off switch

Functional Program Room Data Sheet

	Tunctional Flogram Room Sata Sheet		
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.5		
BASE DESIGN ROOM NUMBER:	PF014		
COMPONENT GROUP	Program Flexibility		
AREA NAME	STAFF ROOM		
OCCUPANT	Staff		
POWER		General purpose receptacles	
COMMUNICATIONS		Data and telephone outlets,(not connected to school intercom)	
CLASS CALL/INTERCOM		Via ceiling speakers	
CLOCK		N/A	
SOUND ENHANCEMENT		N/A	
SPECIALTY A/V (TV, projectors)		N/A	
DATA		N/A	

specialty equipment at kitchenette. All receptacles shall be child proof.

N/A N/A

N/A

SECURITY - CARD ACCESS

SECURITY - INTRUSION

OTHER

SECURITY - VIDEO SURVEILLANCE

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.6
BASE DESIGN ROOM NUMBER:	PF009, PF010
COMPONENT GROUP	Program Flexibility
AREA NAME	OFFICE
OCCUPANT	Child Care Centre Operator / Meeting

OCCUPANT Child (Care Centre Operator / Meeting
FUNCTIONAL CRITERIA	
SPACE FUNCTION	office or small meeting room adjacent to main entry for surveillance
PRIMARY USER	staff
DESIGNED OCCUPANCY NUMBER	1 per office (+2 guests per office)
ORIENTATION / VIEWS	Views to corridor and main entrance
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with upper half vision glazing with sidelight
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	Yes
FF&E REFER TO FURNITURE AND E	
ТҮРЕ	QT DESCRIPTION
CTRUCTURAL	
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL Occupancy sensor with manual override switch	
POWER	Workstation receptacles and general purpose receptacles
COMMUNICATIONS	Data and telephone outlets,(not connected to school intercom)
CLASS CALL/INTERCOM	Via ceiling speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.6	
BASE DESIGN ROOM NUMBER:	PF009, PF010	
COMPONENT GROUP	Program Flexibility	
AREA NAME	OFFICE	
OCCUPANT	Child Care Centre Operator / Meeting	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	ors) N/A	
DATA		
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	LANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

Functional Program Room Data Sheet

		Functional Program Room Data Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.7	
BASE DESIGN ROOM NUMBER:	PF025	
COMPONENT GROUP	Program F	lexibility
AREA NAME	CUBBIES	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Storage cubbies centrally located
PRIMARY USER		children, staff, parents
DESIGNED OCCUPANCY NU	IMBER	
ORIENTATION / VIEWS		View to main corridor and program spaces
DAYLIGHTING		Desirable Borrowed
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with upper half vision glazing and sidelight
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Yes
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		Rubber flooring
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Non-lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITURE	AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space
MECHANICAL		

Non-Dimmable lighting

Via ceiling speakers

N/A

General purpose receptacles

Occupancy sensor with manual override switch

OTHER

ELECTRICAL

LIGHTING CONTROL

COMMUNICATIONS

CLASS CALL/INTERCOM

LIGHTING

POWER

Annendix	O D	E	D	D	D	Cl
Annendix	3B —	Functional	Program	Koom	L)ata	Sheet

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.7	
BASE DESIGN ROOM NUMBER:	PF025	
COMPONENT GROUP	Program Flexibility	
AREA NAME	CUBBIES	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILL	ANCE	N/A
SECURITY - INTRUSION		N/A
OTHER		All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.1
BASE DESIGN ROOM NUMBER:	PF013
COMPONENT GROUP	Program Flexibility
AREA NAME	KITCHEN
OCCUPANT	Kitchen Cook(s)

OCCUPANT Kitchen Co	OOK(S)
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Child Care Centre kitchen for food preparation for children enrolled in the
	program
PRIMARY USER	staff
DESIGNED OCCUPANCY NUMBER	2
ORIENTATION / VIEWS	
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with upper half vision glazing
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes in door
MILLWORK	Kitchen - min 10 lm of counter with corresponding uppers and lowers. Center
	Island - min. 3 lm of counter.
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x
	2400)
OTHER	·
FLOORS	Safety flooring
WALLS	Paint
CEILING	Mylar ceiling tile
DOOR HARDWARE	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	PMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Kitchen Hood Exhaust, 2 -Double Compartment Sinks, Dishwasher hook-up
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch

Functional Program Room Data Sheet

		· unitional i regium recom puta chiest
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.1	
BASE DESIGN ROOM NUMBER:	PF013	
COMPONENT GROUP	Program Fle	exibility
AREA NAME	KITCHEN	
OCCUPANT	Kitchen Coo	ok(s)
POWER		Power receptacles for all kitchen equipment and general purpose receptacles above counter and at island as required.
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A

N/A

N/A

N/A N/A

N/A

SPECIALTY A/V (TV, projectors)

SECURITY - VIDEO SURVEILLANCE

SECURITY - CARD ACCESS

SECURITY - INTRUSION

DATA

OTHER

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.11
BASE DESIGN ROOM	PF012
NUMBER:	
COMPONENT GROUP	Program Flexibility
AREA NAME	JANITOR
OCCUPANT	Janitor
FUNCTIONAL CRITERIA	

OCCUPANT Janitor			
FUNCTIONAL CRITERIA			
SPACE FUNCTION	Child Care Centre janitor		
PRIMARY USER	janitor, staff		
DESIGNED OCCUPANCY NUMBER			
ORIENTATION / VIEWS	Main corridor		
DAYLIGHTING	None required		
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE	Wood door/PSF		
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK			
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS	Exposed concrete with hardener		
WALLS	Paint / FRP on walls		
CEILING	N/A		
DOOR HARDWARE	Lockable		
EXTERIOR WINDOW COVERINGS			
INTERIOR WINDOW COVERINGS			
FF&E REFER TO FURNITURE AND EQUI			
ТҮРЕ	QT DESCRIPTION		
STRUCTURAL			
SPECIAL REQUIREMENTS	Column free space		
MECHANICAL			
OTHER	Exhaust, Janitor Sink, Floor Drains		
OTTEN.	Exhaust, Junitor Sink, Floor Drains		
ELECTRICAL			
LIGHTING	Non-Dimmable lighting		
LIGHTING CONTROL	Occupancy sensor with manual override switch		
POWER General purpose receptacles			
COMMUNICATIONS	N/A		
CLASS CALL/INTERCOM	N/A		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.11
BASE DESIGN ROOM NUMBER:	PF012
COMPONENT GROUP	Program Flexibility
AREA NAME	JANITOR
OCCUPANT	Janitor
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projecto	ors) N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILL	ANCE N/A
SECURITY - INTRUSION	N/A
OTHER	

		Functional Program Room Data Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.12	
BASE DESIGN ROOM	PF018	
NUMBER:	D 5	L
COMPONENT GROUP AREA NAME	Program F INFANT	lexibility
OCCUPANT	Infants	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Infant program space, including teacher preparation area, food prep. Area and cubbies
PRIMARY USER		Infants and staff
DESIGNED OCCUPANCY NU	MBER	12 infants
ORIENTATION / VIEWS		Exterior, infant sleep rooms and change room
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF with upper half vision glazing and sidelight
WINDOW, EXTERIOR		wood doory or with apper han vision glazing and sidelight
WINDOW, INTERIOR		Yes
MILLWORK		3 Im of countertop with corresponding uppers and lowers with 1 single sink (900mm high), closed and lockable (Teacher Prep. Area) 3 Im of countertop with corresponding uppers and lowers with 1 single sink (900mm high), closed and lockable (Food Prep. Area)
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS WALLS		Rubber flooring Paint
CEILING		ACT
DOOR HARDWARE		Non-lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITURE	AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space
MECHANICAL		
OTHER		

ELECTRICAL

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.12
BASE DESIGN ROOM NUMBER:	PF018
COMPONENT GROUP	Program Flexibility
AREA NAME	INFANT
OCCUPANT	Infants

LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override
	switch
POWER	Above counter receptacle and general purpose receptacles
COMMUNICATIONS	Workstation outlets, phone outlet
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	Blank outlet with required conduit at desk
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Provide motion detectors in room.
OTHER	All receptacles shall be child proof.

Functional Program Room Data Sheet

		Functional Program Room Data Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.2	
BASE DESIGN ROOM NUMBER:	PF016	
COMPONENT GROUP	Program F	lexibility
AREA NAME	PANTRY	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Pantry for storing dry goods
PRIMARY USER		staff
DESIGNED OCCUPANCY NU	IMBER	
ORIENTATION / VIEWS		Corridor
DAYLIGHTING		None required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		WOOD GOOT/PSF
WINDOW, EXTERIOR WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	anus	
FF&E REFER TO FURNITURE	AND FOLL	PMFNT LIST
TYPE	- Auto Equi	QT DESCRIPTION
		Q. Desciii non
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space
,		·
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non-Dimmable lighting
LIGHTING CONTROL		Occupancy sensor controlled
DOMED		Company I managed and another less

General purpose receptacles

N/A N/A

POWER

COMMUNICATIONS

CLASS CALL/INTERCOM

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.2	
BASE DESIGN ROOM NUMBER:	PF016	
COMPONENT GROUP	Program Fl	exibility
AREA NAME	PANTRY	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.3
BASE DESIGN ROOM NUMBER:	PF017
COMPONENT GROUP	Program Flexibility
AREA NAME	TUB
OCCUPANT	

OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION	Tub room and barrier free staff and visitor washroom	
PRIMARY USER	Visitors, staff and children	
DESIGNED OCCUPANCY NUMBER	2	
ORIENTATION / VIEWS	Corridor	
DAYLIGHTING	None required	
SPECIAL CONSIDERATIONS	·	
ARCHITECTURAL		
DOOR TYPE	Wood door/PSF	
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS	RSF	
WALLS	Paint, Ceramic tile to 4'	
CEILING	GWB	
DOOR HARDWARE	Lockable	
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS		
FF&E REFER TO FURNITURE AND EQU		
ТҮРЕ	QT DESCRIPTION	
CTRUCTURAL		
STRUCTURAL		
SPECIAL REQUIREMENTS	Column free space	
MECHANICAL		
OTHER	Exhaust, Standard tub, wall mounted sink, toilet	
ELECTRICAL		
LIGHTING	Non-Dimmable lighting	
LIGHTING CONTROL	Occupancy sensor controlled	
POWER	GFI receptacles above counter at sink	
COMMUNICATIONS	N/A	
CLASS CALL/INTERCOM	Via ceiling speakers	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.3	
BASE DESIGN ROOM NUMBER:	PF017	
COMPONENT GROUP	Program Fl	exibility
AREA NAME	TUB	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER	_	Electric hand dryer.

Functional Program Room Data Sheet

		Functional Program Room Data Sheet		
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.4			
BASE DESIGN ROOM NUMBER:	PF021			
COMPONENT GROUP	Program F	lexibility		
AREA NAME	CHANGE R	ООМ		
OCCUPANT				
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Infant diaper change room		
PRIMARY USER		Infants and staff		
DESIGNED OCCUPANCY NU	MBER			
ORIENTATION / VIEWS		Infant program space		
DAYLIGHTING		Desirable Borrowed		
SPECIAL CONSIDERATIONS		Change table with sink and pull out steps		
ARCHITECTURAL				
DOOR TYPE		Sliding wood door/PSF with upper half vision glazing		
WINDOW, EXTERIOR				
WINDOW, INTERIOR		Yes		
MILLWORK		min. 1.5 lm of counter with a single sink,(change tables on both sides of sink		
		with pull out steps and open shelving above - to be furniture)		
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES				
OTHER				
FLOORS		Rubber flooring		
WALLS		Paint		
CEILING		GWB		
DOOR HARDWARE		Non-lockable		
EXTERIOR WINDOW COVER				
INTERIOR WINDOW COVER	INGS			
FF&E REFER TO FURNITURE	AND EQUIP			
TYPE		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS		Column free space		
MECHANICAL				
OTHER		Exhaust		
1				

Non-Dimmable lighting

N/A

Occupancy sensor with manual override switch

General purpose receptacle & GFI receptacles above counter

ELECTRICAL

LIGHTING CONTROL

COMMUNICATIONS

LIGHTING

POWER

Annondiv	3 B	Functiona	I Program	Room	Data	Shoot

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.4
BASE DESIGN ROOM NUMBER:	PF021
COMPONENT GROUP	Program Flexibility
AREA NAME	CHANGE ROOM
OCCUPANT	
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projecto	ors) N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILL	ANCE N/A
SECURITY - INTRUSION	N/A
OTHER	Electric hand dryers

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.5
BASE DESIGN ROOM	PF015
NUMBER: COMPONENT GROUP	Program Flexibility
AREA NAME	LAUNDRY
OCCUPANT	
FUNCTIONAL CRITERIA	

AREA NAIVIE	LAUNDRY
OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Child Care Centre laundry room
PRIMARY USER	staff
DESIGNED OCCUPANCY NU	MBER 1
ORIENTATION / VIEWS	Corridor
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes in door
MILLWORK	min. 1.5 lm of counter with corresponding uppers and lowers. Single sink.
	(maximize width of room)
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVER	RINGS
INTERIOR WINDOW COVER	INGS
FF&E REFER TO FURNITURE	AND EQUIPMENT LIST
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Ventilation for Dryer, Connections for Washing Machine, floor drain
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	Washer, dryer and General purpose receptacles
COMMUNICATIONS	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.5	
BASE DESIGN ROOM NUMBER:	PF015	
COMPONENT GROUP	Program Flex	ibility
AREA NAME	LAUNDRY	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

Joint Use School Project 1 and 2 – Child Care Centre			
	Functional Program Room Data Sheet		
D2.6			
PF011			
Program Fl	lexibility		
STORAGE			
	Child Care Centre storage		
	staff		
MBER			
	Main corridor		
	None required		
	Wood door/PSF		
	D2.6 PF011 Program F STORAGE		

2001.111.112.07.11.12	Lockdore
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQU	IIPMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A

RSF

Paint

GWB

Lockable

OTHER FLOORS

WALLS

CEILING

DOOR HARDWARE

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.6	
BASE DESIGN ROOM NUMBER:	PF011	
COMPONENT GROUP	Program Fl	exibility
AREA NAME	STORAGE	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

Functional Program Room Data Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF003	
COMPONENT GROUP	Program Flexibility	
AREA NAME	VESTIBULE	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Community Entrance Vestibule
PRIMARY USER		staff, students, visitors
DESIGNED OCCUPANCY NU	MBER	
ORIENTATION / VIEWS		To the outdoor play/education areas, street
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		Allow for parking of strollers for Community Resource Centre
ARCHITECTURAL		
2002 = 1/25		

PRIMARY USER	staff, students, visitors
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	To the outdoor play/education areas, street
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	Allow for parking of strollers for Community Resource Centre
ARCHITECTURAL	
DOOR TYPE	Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR	Yes
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF c/w recessed entry mat
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQ	UIPMENT LIST
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
or contented intented	- Coraniii iree space
MECHANICAL	
OTHER	
OTTEN	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled an d non-switches night
LIGITING CONTROL	lights
POWER	General purpose receptacles
COMMUNICATIONS	N/A
4	1 .4

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF003	
COMPONENT GROUP	Program F	exibility
AREA NAME	VESTIBULE	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		Door access rough-in required
SECURITY - VIDEO SURVEILLANCE		Camera on exterior of building by doors with entry systems
SECURITY - INTRUSION		Provide door contact at all exterior doors. Provide motion detectors in room. Provide Security Alarm keypad.
OTHER		

		Functional Program Room Data Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM	PF026	
NUMBER:		
COMPONENT GROUP	Program F	lexibility
AREA NAME	VESTIBULE	· · · · · · · · · · · · · · · · · · ·
OCCUPANT		
FUNCTIONAL CRITERIA	•	
SPACE FUNCTION		Child Care Centre Vestibule
PRIMARY USER		children, staff
DESIGNED OCCUPANCY NU	MBER	, ,
ORIENTATION / VIEWS		To enclosed exterior play space
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		Rubber flooring c/w recessed entry mat
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITURE	AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		Colon for any
SPECIAL REQUIREMENTS		Column free space
MECHANICAL		
OTHER		
FLECTRICAL		
ELECTRICAL		N. D. H. P. L.
LIGHTING		Non-Dimmable lighting

lights

N/A

General purpose receptacles

LIGHTING CONTROL

COMMUNICATIONS

POWER

Occupancy sensor and daylight sensor controlled an d non-switches night

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF026	
COMPONENT GROUP	Program F	lexibility
AREA NAME	VESTIBULE	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		Door access rough-in required
SECURITY - VIDEO SURVEILLANCE		Camera on exterior of building by doors with entry systems
SECURITY - INTRUSION		Provide door contact at all exterior doors. Provide motion detectors/glass
		break sensors at windows. Provide Security Alarm keypad.
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.8
BASE DESIGN ROOM NUMBER:	PF023, PF029
COMPONENT GROUP	Program Flexibility
AREA NAME	W/C
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Preschool / Toddler washroom
PRIMARY USER	children
DESIGNED OCCUPANCY NUMBER	O'a.
ORIENTATION / VIEWS	Preschool / toddler program spaces
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	2 Change tables with sink and pull out steps per w/c
ARCHITECTURAL	
DOOR TYPE	
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	min. 2.8 lm of Counter at 600mm high with 3 sinks, counter to accommodate
	large sink by change table 900mm high
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	Side toilet partitions in toddler washroom, toilet partitions and doors in Pre-
	School washroom. Toilets should be children height
OTHER	
FLOORS	Rubber flooring
WALLS	Paint, Ceramic tile to 4'
CEILING	GWB
DOOR HARDWARE	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	PMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	GFI receptacles above counter at sink

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.8	
BASE DESIGN ROOM NUMBER:	PF023, PF029	
COMPONENT GROUP	Program Flexibility	
AREA NAME	W/C	
OCCUPANT		
COMMUNICATIONS	N/A	
CLASS CALL/INTERCOM	N/A	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	rs) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE N/A	
SECURITY - INTRUSION	N/A	
OTHER	Electric	hand dryer. All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.9
BASE DESIGN ROOM NUMBER:	PF008
COMPONENT GROUP	Program Flexibility
AREA NAME	CORRIDOR
OCCUPANT	
FUNCTIONAL CRITERIA	

FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER Children, parents, staff, visitors DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Main corridor Children, parents, staff, visitors Designation and service spaces Daylighting ARCHITECTURAL Aluminum/glass entry door, aluminum frame	
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS Children, parents, staff, visitors To program and service spaces Desirable Borrowed ARCHITECTURAL	
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS To program and service spaces DAYLIGHTING Desirable Borrowed SPECIAL CONSIDERATIONS ARCHITECTURAL	
ORIENTATION / VIEWS To program and service spaces DAYLIGHTING Desirable Borrowed SPECIAL CONSIDERATIONS ARCHITECTURAL	
DAYLIGHTING Desirable Borrowed SPECIAL CONSIDERATIONS ARCHITECTURAL	
SPECIAL CONSIDERATIONS ARCHITECTURAL	
ARCHITECTURAL	
DOOR TYPE Aluminum/glass entry door, aluminum frame	
WINDOW, EXTERIOR	
WINDOW, INTERIOR Yes	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS RSF	
WALLS Paint	
CEILING ACT	
DOOR HARDWARE	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
TYPE QT DESCRIPTION	
STRUCTURAL	
SPECIAL REQUIREMENTS Column free space	
or Len Le Ne Gordina nee space	
MECHANICAL	
OTHER Water Fountain	
ELECTRICAL	
LIGHTING Non-Dimmable lighting	
LIGHTING CONTROL Occupancy sensor with manual override switch	
POWER House keeping receptacles	
COMMUNICATIONS N/A	
CLASS CALL/INTERCOM Via ceiling speakers	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.9	
BASE DESIGN ROOM NUMBER:	PF008	
COMPONENT GROUP	Program Flexibility	
AREA NAME	CORRIDOR	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		Card Access on exterior door
SECURITY - VIDEO SURVEILLANCE		Video camera in vestibules leading into corridor
SECURITY - INTRUSION		Provide door contact at all exterior doors.
OTHER		

Functional Program Room Data Sheet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.1		
BASE DESIGN ROOM NUMBER:	PF004		
COMPONENT GROUP	Program I	Program Flexibility	
AREA NAME	COMMUN	COMMUNITY RESOURCE CENTRE	
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Multipurpose space to be utilized by itinerant staff and outside resources during the day and the community after hours	
PRIMARY USER		staff, students, visitors, community	
DESIGNED OCCUPANCY NU	MBER	Max 59	
ORIENTATION / VIEWS		Exterior, community main entrance	
DAYLIGHTING		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Aluminum/glass entry door, aluminum frame	
WINDOW, EXTERIOR			
AMINID CAM INITEDIOS			

ARCHITECTURAL	
DOOR TYPE	Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	min. 3 lm of counter with corresponding uppers and lowers. Single sink.
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
	100 450 110

FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
ТҮРЕ	QT DESCRIPTION	
STRUCTURAL		
SPECIAL REQUIREMENTS	Column free space	
MECHANICAL		
OTHER	Sink in millwork, hand wash sink outside PF005	
ELECTRICAL		
LIGHTING	Dimmable lighting	
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override	
	switches	
POWER	General purpose receptacles above counter and throughout	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.1	
BASE DESIGN ROOM	PF004	
NUMBER:		
COMPONENT GROUP	Program F	lexibility
AREA NAME	COMMUNITY RESOURCE CENTRE	
OCCUPANT		
COMMUNICATIONS		Data and telephone outlets,(not connected to school intercom)
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Provide motion detectors in room.
OTHER		

D3.2
PF007
Program Flexibility
MEETING ROOM
1

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Flexible meeting space immediately adjacent to Community Resource Centre
PRIMARY USER	staff, students, visitors, community
DESIGNED OCCUPANCY NUMBER	12
ORIENTATION / VIEWS	Community Resource Centre program space
DAYLIGHTING	Desirable
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Carpet tile
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MATCHANICAL	
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with dimmer and override switches
POWER	General purpose receptacles, floor box with power and data,
COMMUNICATIONS	Data and telephone outlets, (not connected to school intercom)
CLASS CALL/INTERCOM	Via ceiling speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.2	
BASE DESIGN ROOM NUMBER:	PF007	
COMPONENT GROUP	Program Flexibility	
AREA NAME	MEETING R	ROOM
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.3
BASE DESIGN ROOM NUMBER:	PF006
COMPONENT GROUP	Program Flexibility
AREA NAME	OFFICE
OCCUPANT	Community Resource Centre Staff

OCCUPANT	Communit	y Resource Centre Staff
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office immediately adjacent to Community Resource Centre
PRIMARY USER		staff
DESIGNED OCCUPANCY NU	IMBER	1
ORIENTATION / VIEWS		Community Resource Centre program space
DAYLIGHTING		Desirable Borrowed
SPECIAL CONSIDERATIONS		
4 D 4 L 1 D 4 L		
ARCHITECTURAL DOOR TYPE		Wood door/PSF
		W000 0001/PSF
WINDOW, EXTERIOR		Was a
WINDOW, INTERIOR MILLWORK		Yes
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		Constalle
FLOORS WALLS		Carpet tile
CEILING		Paint
		ACT Lockable
DOOR HARDWARE	DINICS	LOCKADIE
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS		
	AND FOLUE	DAFAIT LICT
TYPE QT DESCRIPTION OF THE PROPERTY OF THE PRO		QT DESCRIPTION
TIPE		Q1 DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space
		·
MECHANICAL		
OTHER		
ELECTRICAL		
LIGHTING		Non Dimmable lighting
LIGHTING LIGHTING CONTROL		Non-Dimmable lighting Occupancy sensor with manual override switch
POWER		Workstation receptacles and general purpose receptacles
COMMUNICATIONS		Data and telephone outlets, (not connected to school intercom)
CLASS CALL/INTERCOM		Via ceiling speakers
CLASS CALL/ INTERCOM		יום כבוווון אףבמגבו א

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.3	
BASE DESIGN ROOM NUMBER:	PF006	
COMPONENT GROUP	Program Flexibility	
AREA NAME	OFFICE	
OCCUPANT	Community Resource Centre Staff	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	rs) N/A	
DATA		
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	<u> </u>
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.4
BASE DESIGN ROOM NUMBER:	PF005
COMPONENT GROUP	Program Flexibility
AREA NAME	W/C
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Community Resource Centre barrier free washroom
PRIMARY USER	
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	Community Resource Centre program space
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	Include change table
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint, Ceramic tile to 4'
CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	PMENT LIST
ТҮРЕ	QT DESCRIPTION
CERTIFICATION IN	
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	GFI receptacles above counter at sink
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A
CLI 103 CALLI IIVI LINCOIVI	19/1

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.4	
BASE DESIGN ROOM NUMBER:	PF005	
COMPONENT GROUP	Program Flexibility	
AREA NAME	W/C	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Electric hand dryer. All receptacles shall be child proof.

		Tunctional Frogram Room Bata Sheet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM	D3.5	
ROOM NUMBER:		
BASE DESIGN ROOM		
NUMBER:		
COMPONENT GROUP	Program Fle	exibility
AREA NAME	COMMUNIT	TY STORAGE
OCCUPANT	Community	Users
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Flexible storage space
PRIMARY USER		Community Members
DESIGNED OCCUPANCY NU	MBER	
ORIENTATION / VIEWS		
DAYLIGHTING		
SPECIAL CONSIDERATIONS		Chain link fence complete with lockable gate
ARCHITECTURAL	,	
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		Exposed concrete
WALLS		Paint
CEILING		Exposed Structure
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITURI	: AND EQUIP	
TYPE		QT DESCRIPTION
CTRUCTURAL		
STRUCTURAL		Calling for an an
SPECIAL REQUIREMENTS		Column free space
MECHANICAL		
OTHER		
32		
ELECTRICAL		
LIGHTING		Non-Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.5	
BASE DESIGN ROOM NUMBER:		
COMPONENT GROUP	Program Fle	exibility
AREA NAME	COMMUNI	TY STORAGE
OCCUPANT	Community	Users
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		N/A